MUNICIPAL CORPORATION OF BHILAI

वार्ड क्र. 38 सोनिया गांधी नगर में 02 नग बोर खनन कार्य।

(As Per PWD Building SOR 01.01.2015 & Electrical SOR 01.06.2020)

S.N.	PARTICULERS OF ITEMS	Quantity	UOM
ì	Carrying out the resistivity survey by VES method using Schlumberger configuration for locating the proper spot for drilling of tube well within the selected habitation, including photography, interpretation of resistivity data and submission of report in the desired format along with resistivity readings, necessary graph and photographs. (only successful point is payable)	2	Point
2	Boring/drilling bore well perfectly vertical for the specified depth suitable to receive required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer—in-charge upto 90 metre depth below ground level.		
- 4 3	All types of soil 150 mm nominal dia	50.00	Metre
671	Rocky strata including Boulders 150 mm nominal dia	130.00	Metre
3	Boring/drilling bore well perfectly vertical for the specified depth suitable to receive required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer—in-charge beyond 90 metre & upto 150 metre depth below ground level.		
1	Rocky strata including Boulders 150 mm nominal dia	30.00	Metre
316	Supplying, assembling, lowering and fixing in vertical position in bore well, ISI marked G.I. casing pipe		,
	(Plain) medium class in 4 to 7 meters length one end fitted with socket as per IS: 1239 (Part-1&Part-2)		7
4	1992 with IVth revision (Up-to-date amendments), of reputed & approved make, including required hire		1
	& labour charges, fittings & accessories, all complete, for all depths, as per direction of Engineer- in-		
	charge. 150 mm nominal dia	52.00	Metre
1	Development of tube well in accordance with IS: 2800 (part I) and IS: 11189, to establish maximum rate	32.00	Witte
_	of usable water yield without sand content (beyond permissible limit), with required capacity air		
5	compressor, running the compressor for hire & labour charges of air compressor, tools & accessories	8.00	Hrs
	etc., all as per requirement and direction of Engin-charge.		1 . 4
	Providing and fixing suitable size threaded mild steel cap or spot welded plate to the top of bore well		
6	housing/ casing pipe, removable as per requirement, all complete for bore well of:	2	Each
	150 mm nominal dia	_	
	Electrical SOR 01.06.2020		
	Supplying, installation, testing and commissioning of submersible pump set for water supply system with	and the same of the same of	
	submersible motor directly coupled to multi-stage submersible pump of specified discharge capacity,		
7	head, delivery size in existing bore well including 2 sets of suitable size holding clamps made out of 50	2	Each
	mm X 6 mm MS flat, connection with suitable submersible cable of standard length etc. as per		
	specification and IS: 694 (2010).	the terms of	
i de la companya de l	Supply installation testing and commissioning of 5.7.5 UP 2		to a
4	Supply, installation, testing and commissioning of 5-7.5 HP 3 phase submersible motor starter cum control wall/ floor mounted type made out of not less than 1.6 mm thick MS sheet and comprising of		
4000	following panel mounting switchgears there in including connection inter-connection etc. as per		
111	specification.		
8	[20] 프로그램 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1		
111	b) 5/7.5 HP 3 phase DOL starter with over load and no volt relay 1 No	2	Each
1	c) 32 A "C" curve TPMCB 1 No		
	d) Voltmeter 0-500 V with selector switch 1 set		
	e) Ammeter 0-10 A with CT's and selector switch 1 set		
12.1	Providing following size ISI marked FR PVC insulated, PVC sheathed, 3 core submersible copper		
T. Red	conductor wire and IS: 694 (2010)		
1 9	conductor wire and 15. 694 (2010)	140.00	Metre

S.N.	PARTICULERS OF ITEMS	Quantity	UC
10	Supplying and fixing of following sizes 'B' class G I pipe with all necessary Tee's, bends, sockets in the suction/ delivery line including cutting and threading etc. as per specification. 25 mm dia.	50.00	Metre
11	Providing and laying in trenches G.I. pipes medium class complete with G.I. fittings including excavation of trenches, refilling the same and testing of joints complete:		
a	40 mm dia. nominal bore	50.00	Metre
a	25 mm dia. nominal bore	50.00	Metre
С	20 mm dia. nominal bore	40.00	Metre
d	15 mm dia. nominal bore	40.00	Metre
12	Providing and fixing gun metal gate valve with C.l. wheel of approved quality (screwed end):		
а	25 mm dia. nominal bore	10	Each
13	Providing and fixing G.I. Union in G.I. pipe (New work) including cutting and threading the pipe and making long screws etc. complete:	f	
a	25 mm dia. nominal bore	6	Each
14	Providing and fixing 15 mm nominal bore Brass bib/stop cock of approved quality: Bib cock (250 grams)	20	Each
15	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI: 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	2000.00	Litre

Executive Engineer
Municiapal Corporation
Bhilai

Assistant Engineer
Municipal Corporation
Bhilai

Sub Engineer

Municipal Corporation

Bhilai