MUNICIPAL CORPORATION BHILAI

NIT

वार्ड क्र. 50 शास्त्री नगर क्षेत्रांतर्गत डी.आई. पाईप लाईनों का संधारण कार्य।

CG PHE SOR 01.06.2020 SN Description Qty. Unit Earth work in excavation for pipe trench in ordinarysoil areas including dressing, watering, ramming and disposal of excavated earth lead up to 50m and lift upto 1.5m, disposal earth to 48.00 Cum be levelled, neatly dressed. Earth work in excavation for pipe trench in Laterite soilareas including dressing, watering, 2 ramming and disposal of excavated earth lead up to 50m and lift up to 1.5m, disposal earth to 6.00 Cum be levelled, neatly dressed. 3 Soft rock with or without blasting or bituminous pavement / cement concrete road. 3.00 Cum 4 Pumping out water caused by springs, tides or river seepage, broken water mains or drains. 30.00 ΚI Providing, laying and jointing socket & spigot centrifugally cast (Spun) Ductile Iron pressure pipes with inside cement mortar lining (class K-7) Conforming to IS 8329/2000 5 with suitable Rubber Gasket (Push on) joints as per IS:5382/85 including testing of joint (laying Conforming to IS 12288: 1987) 100mm 115.00 Rmt Providing, laying and jointing including testing all specials for diameter 900 mm to 50 mm dia for Bends of all angles, Tees as per requirement for fixing Sluice Valve, Reflux Valve Air Valve etc. of C.I., D.I. and non sizes M.S. fittings as directed by Engineer-in-charge as per relevant IS Codes as applicable complete. 10 % of the Cost of Providing pipe under I.No. 6 above 10845 Ls Filling available excavated earth in trenches, plinthsides of foundation in layers not exceeding 20cm. indepth including consolidation of each layer by rammingwatering, lead up to 50m and lift up to 1.5m in all kindsof soils 55.74 Cum Providing Rubber ISI marked Gasket (push on) joint as per IS:5382/2018 to following DI pipes class K-7 and K-9 including testing of joints and cost of jointing materials (Rubber Gasket and soap solution etc.) 10 No. 100mm Labour only for cutting following Ductile Iron pipes of any type and class. 9 Per Cut 10 100mm 10 Chamfering ductile iron pipes of all types and classes to make suitable for tyton joints. Each End 10 100mm (Up to 150 mm dia.) Carriage of Material by Mechanical transport including loading unloading & stacking etc. Earth & Moorum 11 3km Lead 5.70 Cum Providing & laying mechanically mixed cement concrete 20mm nominal size graded crushed 12 stone excluding cost of centering & shuttering. In Plinth & foundation Cum 12,00 1:1:2(M-25) Construction of Brick masonary valve chamber with 20 cm thick wall in 1:6 C.M. with 12mm thick 1:4 Cement Plaster and base course 10 cm. thick in M-15. Inside Dimensions 13 110x80x100cm M-20 RCC chamber cover size 130x100cmx120cm including cost of materials, labour etc.complete.

	Description	Qty.	Unit
	N Description	1	No.
	Lulla Garand chica valves as per I S : 14846-		
	Providing & fixing of following Cast iron double flanged sluice valves as per I.S.:14846- 2000 fitted with cast iron cap including jointing & testing with cost of jointing material such		
1 14	as bolts, nuts, rubber insertions etc. all complete		
-	100mm dia	2	No.
-	I show for laying and fixing of following cast fron double flanged sluice valves (vide item		
14 15 16	no.1) including jointing and testing but without cost of Jointingmaterials.		<u> </u>
	100mm dia	2	No.
16	Providing and Laying including testing Ductile Iron All socket Tees conforming to		
	IS:9523/2000 having dimension as per table 21 of IS:9523/2000 in the following nominal		
	diameter/sizes with external bitumen coating and internal cement mortar lining with finishing		
	as per clause 13 of IS: 9523/2000.		1
	100mm x 100mm	5	No.
	150mm x 100mm	5	No.
17	Providing and Laying including testing Ductile iron Mechanical joint collar with follower		
	glands conforming to IS: 9523/2000 having dimension as per table 24 of IS: 9523/2000 in	1	
	the following nominal diameter/sizes with external bitumen and internal cement mortar		
	lining.	 	
	100mm	5	No.
	150mm	5	No.
18	Providing and Laying including testing Ductile Iron Double Socket 90° Bends conforming		
	to IS: 9523/2000 having dimension as per table 15 of IS: 9523/2000 in the following		
	nominal diameter/sizes with external bitumen coating and internal cement mortar lining.		
		-	
	100mm	2	No.
	Providing and Laying including testing Ductile Iron Double Socket 45° Bends conforming		
19	to IS: 9523/2000 having dimension as per table 16 of IS: 9523/2000 in the following		
	nominal diameter/sizes with external bitumen coating and internal cement mortar lining.		1
	nominal diameter/sizes with external bitumen coating and internal comments		- ,, -
	100mm	3	No.
	Providing and Laying including testing Ductile Iron Double Socket 22.5° Bends conforming	g	1
20	to IS: 9523/2000 having dimension as per table 17 of IS: 9523/2000 in the following	-	
	nominal diameter/sizes with external bitumen coating and internal cement mortar lining.	1	
			No.
	100mm	9	No.

Executive Engineer Municiapal Corporation Bhilai

Assistant Engineer Municipal Corporation Bhilai

Sub Engineer Municipal Corporation Bhilai