MUNICIPAL CORPORATION OF BHILAI

NIT

कार्य का नाम :— वार्ड क्रमांक 13 में मंगल बाजार कोहका में सामुदायिक शौचालय का संधारण कार्य।

(As Per PWD Building SOR 01.01.2015 & Electric SOR 01.06.2020, Non Sor Item)

| S.N. | PARTICULERS OF ITEMS | | HOM |
|-------|--|----------|------|
| 5.11. | Demolishing R.C.C. work including stacking of steel bars and | Quantity | UOM |
| 1 | disposal of unserviceable material within 50 metre lead. | 0.54 | Cum |
| 2 | Demolishing brick masonry including arches, stacking of serviceable material disposal of unserviceable material within 50 metres lead. In cement mortar. | 3.00 | Cum |
| 3 | Dismantling terrazzo or mosaic or glazed vitreous or patent cement or tiled flooring or dado skirting of any thickness without sub base. | 50.00 | Sqm |
| 4 | Dismantling lime/ cement plaster or skirting at any height raking out joints and cleaning the surface for plaster including disposal of rubbish within 50 metres lead. | 300.00 | Sqm |
| 5 | Dismantling doors chowkhats with shutters (steel or wood) including architrave, hold fast etc. complete and stacking within 50 metres lead. | 10.00 | Each |
| 6 | Dismantling windows chowkhats with shutters (steel or wood) including architrave, hold fast etc. complete and stacking within 50 metres lead. | 10.00 | Each |
| 7 | Excavation for all types and sizes of foundations, trenches and drains or for any other purpose including disposal of excavated stuff upto 1.5 m lift and lead upto 50m (at least 5m away from the excavated area), including dressing and leveling of pits. In all types of soils. | 0.75 | Cum |
| 8 | Providing and laying nominal mix plain cement concrete with crushed stone aggregate using concrete mixer in all works upto plinth level excluding cost of form work. 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40mm nominal size). | 0.15 | Cum |
| 13 | Providing and filling in plinth with sand/ Crusher dust and hard moorum under floor in layers not exceeding 20cm in depth | 0.90 | Cum |
| 14 | Brick work with modular fly-ash lime bricks (FaLG Bricks) confirming to 1S:12894-2002 of class designation 4.0 in foundation and plinth in: Cement Mortar 1:6 (1 cement : 6 coarse sand) | 0.20 | Cum |
| 10 | Providing and making 6mm thick cement plaster of mix: In | 7.50 | Sqm |

| n. | | | UOM SIGNATURE TO SEE THE SEE T |
|------|---|----------|--|
| S.N. | PARTICULERS OF ITEMS | Quantity | UOM JELES SELECT |
| 17 | Providing and making 12mm thick cement plaster of mix: In Cement mortar 1:5 (1 cement : 5 fine sand) | 16.50 | Sqm Square Squar |
| 18 | Providing and making 15mm thick cement plaster of mix: In Cement mortar 1:6 (1 cement : 6 fine sand) | 39.00 | Sqm Sqm |
| 19 | Neat Cement punning | 70.00 | Sqm |
| 20 | Cement concrete flooring with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm) finished with a floating coat of neat cement. | 45.00 | Sqm |
| 25 | Providing and fixing M.S. grill of approved pattern made of M.S. flats or square or round bars welded to steel frame of windows etc. including applying a priming coat welded to frame with all necessary fitting complete including applying a priming of red oxide zinc chromate primer. | 50.00 | Kg |
| 26 | Providing and fixing steel door/ window with M.S. sheet Imm thick, frame of angle iron, diagonal braces of angle/ flat iron of suitable size, 3.00 mm M.S. gusset plates at junctions and corners, all necessary fittings complete including applying a priming coat of red oxide zinc chromate primer. | 904.80 | Kg |
| 27 | Providing stainless steel railing/ grill made of S.S. flats, hollow S.S. pipe or square/ rectangular sections of approved design fixing in stair case, balcony or other places with metal fasteners and stainless steel bolts etc complete. SS Grade 304 | 10.00 | Kg |
| 29 | Providing and laying vitrified floor tiles with soluble salt printing, of size 600x600mm with water absorption less than 0.5% and conforming to IS: 15622 of approved make, laid on 20mm thick cement mortar 1:4 (1 cement: 4 coarse sand) including grouting the joints with white cement and matching pigments etc. complete. | 45.50 | Sqm |
| 30 | Providing and laying ceramic glazed floor tiles conforming to IS: 15622 of approved size, make, colour, shade laid on 20 mm thick Cement Mortar 1:4 (1 cement: 4 coarse sand) including pointing the joints with white cement mixed with matching pigment etc., complete. | 1.00 | Sqm |
| 31 | Providing and fixing ceramic glazed wall tiles conforming to IS: 15622 of approved make, colours, shades and size on wall and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with matching pigment complete. | 6.00 | Sqm |

| CON | PARTICULERS OF ITEMS | Quantity | UOM |
|------------------------|---|----------|-----|
| to mathe sl | urtyard jointed with neat cement slurry mixed with pigment | 8.00 | Sqm |
| crust plint 1:1½ | iding and laying nominal mix plain cement concrete with hed stone aggregate using concrete mixer in all works upto h level excluding cost of form work. 2:3 (1 cement : 1½ coarse sand : 3 graded stone aggregate m nominal size). | 0.13 | Cum |
| putty | viding and applying 2 mm thick ready mix exterior grade y (manufactured with cow dung processing) on walls to make surface smooth and even | 9.00 | Sqm |
| with | Il painting with premium emulsion (plastic) manufactures the cow dung processing emulsion paint of required shade live an even shade One old work (One or more coats) | 40.00 | Sqm |
| As | Per Qty. of 15 mm Thick Plaster | | |
| Dis | tempering with washable distemper manufacture with the cowning processing to give an even shade | 250.00 | Sqm |
| - 1 | e new work (Two or more coats) | 250.00 | Sqm |
| Dis du | stempering with washable distemper manufacture with the cowning processing to give an even shade | 350.00 | Sqm |
| Pa | ne old work (One or more coats) inting on new work (two or more coats) to give an even shade th: | 25.20 | Sqm |
| Pr | emium synthetic enamel paint. | 15000.00 | Rs |
| E | or Electrification or Water supply & Sanitation work | 14000.00 | Rs |

Executive Engineer Municipal Corporation Bhilai Asstt.Engineer Municipal Corporation Bhilai Sab. Engineer Municipal Corporation Bhilai