## NAGAR PALIK NIGAM BHILAI NIT

वार्ड क्र. 27 शास्त्री नगर कर्मा चौक का संधारण कार्य

(As per P.W.D BUILDING S.O.R. W.E.F. 01.01.2015 & Electrical S.O.R. 01.06.2020)

S.NO	PARTICULAR	Qty	Unit
1	Excavation for all types and sizes of foundations, trenches and drains or for any other purpose including disposal of excavated stuff upto 1.5 m liftand lead upto 50m (at least 5m away from the excavated area), including dressing and leveling of pits. In all types of soils	0.60	cum
2	Providing and laying nominal mix plain cement concrete with crushedstone aggregate using concrete mixer in all works upto plinth levelexcluding cost of form work. 1:48	0.15	cum
3	Brick work with modular well burnt (open) bhatta) clay bricks of crushing strength not less than 20 kg/sqem and water absorption not more than 25% in foundation and plinth in Cement Mortar 1:6 (1 Cement 6 Coarse Sand)	3.60	cum
4	Providing and making 12mm thick cement plaster of mixin cement Mortar 1:3 (1) cement 3 fine sand)	34.00	sqm
5	Providing and making 15mm thick cement plaster on the rough side of single or half brick wall of mix: In Cement Mortar 1:5 (1 cement: 5 fine sand)	20.00	sqm
6	15 mm thick Table rubbed polished Granite stone slab flooring laid over 20mm (Average) thick base of cement mortar 1:4 (1 cement: 4 coarse sand) laid and jointed with grey cement slurry including rubbing and polishing etc. complete. (Area of slab should be 0.50 sqm and above)Granite stone black	35.00	sqm
-	Providing and filling in plinth with sand/ Crusher dust and hard moorum under floor in layers not exceeding 20cm in depth consolidating each deposited layer by ramming and watering, including dressing etc. complete	6.25	cum
8	Providing stainless steel railing/ grill made of S.S. flats, hollow S.S. pipe or square/ rectangular sections of approved design fixing in stair case, balcony or other places with metal fasteners and stainless steel bolts etc complete.	90.00	kg

ASSTT ENGINEER Nagar Palik Nigam, Bhilai

SUB ENGINEER Nagar Palik Nigam, Bhilai