

MUNICIPAL CORPORATION OF BHILAI

NIT

जोन क्र. 02 क्षेत्रांतर्गत डी.आई. पाईप से एम.डी.पी.ई. पाईप लाईन का इंटरकनेक्शन कार्य।

S.N.	PARTICULARS OF ITEMS	Quantity	UOM
1	Excavation for all types and sizes of foundations, trenches and drains or for any other purpose including disposal of excavated stuff upto 1.5 m lift and lead upto 50m (at least 5m away from the excavated area), including dressing and leveling of pits. In all types of soils.	83.30	Cum
2	Demolishing cement concrete including disposal of material within 50 metre lead. 1:3:6 or richer mix	33.32	Cum
3	Carriage by mechanical transport upto 5 km lead: Earth	33.32	Cum
4	Providing and filling in plinth with sand/ Crusher dust and hard moorum under floor in layers not exceeding 20cm in depth consolidating each deposited layer by ramming and watering, including dressing etc. complete.	17.85	Cum
5	Pumping out water caused by springs tidal or river seepage, broken water main or drains and like during Excavation or during Excavation and laying of base concrete (volume to be calculated taking height from water level to bottom of pit and to be measured and paid).	29.75	Cum
100 to 100 Interconnection			
6	Providing & Laying Ductile Iron Double Socket branch flange Tee Conforming to IS-9523/ 2000 having dimension as per table 21 of IS-9523 /2000 in the nominal diameter /sizes with external bitumen coating and internal cement mortar lining with finishing as per clause13 of IS-9523/2000. (laying Conforming to IS 12288 : 1987) (All sizes in mm)	10	Each
7	Providing & laying Ductile iron Mechanical joint collar with follower glands Conforming to IS-9523/2000 having dimension as per table24 of IS-9523/2000 in the nominal diameter/sizes with external bitumen coating and internal cement mortar lining. (laying Conforming to IS 12288 : 1987)	20	Each
8	Providing, laying and jointing socket & spigot centrifugally cast (Spun) Ductile Iron pressure pipes with inside cement mortar lining (classK-7) Conforming to IS 8329/2000 with suitable Rubber Gasket (Pushon) joints as per IS:5382/85 including testing of joint (laying Conforming to IS 12288 : 1987)	20.00	Rm
150 to 100 Interconnection			
9	Providing & Laying Ductile Iron Double Socket branch flange Tee Conforming to IS-9523/ 2000 having dimension as per table 21 of IS-9523 /2000 in the nominal diameter /sizes with external bitumen coating and internal cement mortar lining with finishing as per clause13 of IS-9523/2000. (laying Conforming to IS 12288 : 1987) (All sizes in mm)	5	Each
10	Providing & laying Ductile iron Mechanical joint collar with follower glands Conforming to IS-9523/2000 having dimension as per table24 of IS-9523/2000 in the nominal diameter/sizes with external bitumen coating and internal cement mortar lining. (laying Conforming to IS 12288 : 1987)	10	Each
11	Providing, laying and jointing socket & spigot centrifugally cast (Spun) Ductile Iron pressure pipes with inside cement mortar lining (classK-7) Conforming to IS 8329/2000 with suitable Rubber Gasket (Pushon) joints as per IS:5382/85 including testing of joint (laying Conforming to IS 12288 : 1987)	10.00	Rm
200 to 100 Interconnection			
12	Providing & Laying Ductile Iron Double Socket branch flange Tee Conforming to IS-9523/ 2000 having dimension as per table 21 of IS-9523 /2000 in the nominal diameter /sizes with external bitumen coating and internal cement mortar lining with finishing as per clause13 of IS-9523/2000. (laying Conforming to IS 12288 : 1987) (All sizes in mm)	2	Each
13	Providing & laying Ductile iron Mechanical joint collar with follower glands Conforming to IS-9523/2000 having dimension as per table24 of IS-9523/2000 in the nominal diameter/sizes with external bitumen coating and internal cement mortar lining. (laying Conforming to IS 12288 : 1987)	4	Each

PARTICULARS OF ITEMS		Quantity	UOM
14	Providing, laying and jointing socket & spigot centrifugally cast (Spun) Ductile Iron pressure pipes with inside cement mortar lining (classK-7) Conforming to IS 8329/2000 with suitable Rubber Gasket (Pushon) joints as per IS:5382/85 including testing of joint (laying Conforming to IS 12288 : 1987)	4.00	Rm
15	Providing & Supply of Compression fittings, PN1.6 rate in Conformation to ISO:14236 2000 and shall be tested as per ISO:3459, ISO:3501&ISO:3503, suitable for drinking water & approved by WRAS,UKIKIWA etc., --- central,state&municipal, n spection charges, transportation up to site, transitinsurance, loading, unloading, stacking etc. complete. Metal inserted Compression Male Threaded Adaptor with SS 304 (MTA)	20	Each

(NON SOR ITEM)

16	Providing and Supplying Blue MDPE pipes Conforming to ISO 4427:1996 manufactured from virgin resin PE80 Food grade compounded Raw Material having Blue Colour only with quality assurance certificate from quality agencies like WRC/CIPET (India) /DVGM/KIWA/ SPGN etc. for use in Drinking Water System The cost shall include testing of all materials, all taxes Central, State, Municipal, Inspection charges, transportation up to site, transitinsurance, loading, unloading, stacking etc. complete.		
	(A) 63 mm	35.00	Rm
	(B) 75 mm	50.00	Rm
	(C) 90 mm	35.00	Rm
17	MDPE REDUCER		
	(A) 75X63 MM	10	Each
	(B) 90X63 MM	5	Each
	(C) 90X75 MM	2	Each
18	Compression 90 Deg. Elbow		
	(A) 63mm	2	Each
	(B) 75 mm	10	Each
	(C) 90 mm	5	Each

EXE. ENGINEER

Nagar Palik Nigam, Bhilai

ASSTT. ENGINEER

Nagar Palik Nigam, Bhilai

SUBENGINEER

Nagar Palik Nigam, Bhilai

कायालय, नगर पालिक निगम भिलाई, जिला-दुर्ग

निविदा सूचना

भिलाई, दिनांक : 06/08/2026

लो.क.वि./जोन-2/2025/87

आयुक्त नगर पालिक निगम भिलाई को ओर से एकीकृत पंजीयन प्रणाली अंतर्गत राक्षम श्रेणी में पंजीकृत ठेकेदारों से लोक निर्माण विभाग के भवन निर्माण एस.ओ.आर. दिनांक 01.01.2015/रोड एस.ओ.आर. दिनांक 01.06.2020, विद्युत एस.ओ.आर. 01.06.2020 एवं आयटम दर अद्यतन संशोधन के आधार पर कम/अधिक एवं आयटम दर पर निम्नलिखित कार्य हेतु निम्नानुसार दिनांक एवं समय तक मुहूर्तबंद निविदा आमंत्रित की जाती है।

- निविदा जारी करने की तिथि - 06.05.2026
 आवेदन की अंतिम तिथि - 28.05.2026 सायं 5:30 बजे तक
 निविदा प्रपत्र जमा करने की अंतिम तिथि - 05.06.2026 सायं 5:30 बजे तक
 निविदा खोले जाने की तिथि - 08.06.2026 to till date

क्र.	कार्य का नाम	निविदा लागत (लाख)	धरोहर राशि	निविदा प्रपत्र का मूल्य	समयावधि	ठेकेदारों की श्रेणी	फार्म
1	जोन क्रमांक 02 अंतर्गत ए.सी.प्रेसर पाइप लाइन संधारण कार्य।	06.95	5000.00	750.00	आवश्यकतानुसार	'द' एवं प्रवर	फार्म ए. एवं ए.बी. सी. सोड्यूल ऑफ आयटम
2	वार्ड क्रमांक 24 हाउसिंग बोर्ड में निर्मित सार्वजनिक सियान सदन में अतिरिक्त कक्ष निर्माण कार्य।	5.00	5000.00	750.00	120 दिन	'द' एवं प्रवर	फार्म ए. एवं ए.बी. सी. सोड्यूल ऑफ आयटम
3	जोन क्रमांक 02 अंतर्गत डी.आई.पाइप से एम.डी.पी.ई. पाइप लाइन का इंटरकनेक्शन कार्य।	03.50	3500.00	750.00	आवश्यकतानुसार	'द' एवं प्रवर	फार्म ए. एवं ए.बी. सी. सोड्यूल ऑफ आयटम
4	विधायक निधि अंतर्गत खण्डेलयाल भवन के पास सार्वजनिक स्थान में प्रसाधन कक्ष निर्माण कार्य।	3.20	3500.00	750.00	120 दिन	'द' एवं प्रवर	फार्म ए. एवं ए.बी. सी. सोड्यूल ऑफ आयटम
5	विधायक निधि अंतर्गत वार्ड क्र. 20 वैशाली नगर के लोकागन परिसर में सार्वजनिक प्रसाधन कक्ष निर्माण कार्य।	03.00	3000.00	750.00	120 दिन	'द' एवं प्रवर	फार्म ए. एवं ए.बी. सी. सोड्यूल ऑफ आयटम
6	प्रजापति भवन के पास सार्वजनिक स्थान में प्रसाधन कक्ष निर्माण कार्य।	2.00	2000.00	300.00	120 दिन	'द' एवं प्रवर	फार्म ए. एवं ए.बी. सी. सोड्यूल ऑफ आयटम
7	मूलभूत सुविधा अंतर्गत वार्ड क्रमांक 15 अम्बेडकर नगर में सड़क का संधारण एवं स्पीड ब्रेकर लगाने का कार्य। (द्वितीय निविदा)	4.00	4000.00	750.00	60 दिन	'द' एवं प्रवर	फार्म बी. एवं ए.बी. सी. सोड्यूल ऑफ आयटम
8	वार्ड क्रमांक 21 कैलाशन नगर कुरुद में पार्श्व निधि से सियान सदन के पीछे दादा दादी नानी नानी उद्यान में सैनिक फेंसिंग कार्य। (द्वितीय निविदा)	1.50	2000.00	300.00	45 दिन	'द' एवं प्रवर	फार्म ए. एवं ए.बी. सी. सोड्यूल ऑफ आयटम
9	मुख्यमंत्री घोषणा अंतर्गत वार्ड क्र. 20 वैशाली नगर सांस्कृतिक भवन में बीपीओ सेक्टर खोले जाने हेतु विभिन्न संधारण कार्य एवं निर्माण कार्य।	5.34	5500.00	750.00	90 दिन	'द' एवं प्रवर	फार्म ए. एवं ए.बी. सी. सोड्यूल ऑफ आयटम

नियम एवं शर्तें-1. सशर्त निविदा स्वीकार नहीं की जावेगी। 2. निविदा स्पीड पोस्ट अथवा रजिस्टर्ड डाक से स्वीकार किये जावेंगे। 3. धरोहर राशि कार्यपालन अभियंता/जोन आयुक्त, नगर पालिक निगम, भिलाई एवं संबंधित ठेकेदार के नाम से संयुक्त एफ.डी.आर. किसी राष्ट्रीयकृत बैंक का संलग्न करना होगा प्रत्येक कार्य के लिये जीवित ठेकेदारी ई-पंजीयन, व्यवसायिक कर प्रमाण पत्र, पेन कार्ड, जी.एस.टी. प्रमाण-पत्र, जीवित बैंक सालवेंसी प्रमाण पत्र की सत्यापित प्रति लिफाफा "क" में प्रस्तुत करना है, एवं निविदा प्रपत्र दर सहित लिफाफा "ख" में प्रस्तुत करना होगा। 4. कर्मकार कल्याण उपकर अधिनियम लागू होगी। 5. सम्पूर्ण निविदा अथवा किसी भी अंश को स्वीकृत करने अथवा न करने का अधिकार निगम के पास सुरक्षित रहेगा। 6. नगर निगम की वाहनों से निर्माण कार्य हेतु पानी लेने पर देयक से 1% राशि की कटौती की जावेगी, किन्तु निगम वाहनों से जल उपलब्ध कराने हेतु वाध्य नहीं रहेगा। निगम क्षेत्र के स्ट्रॉतो से स्वयं के वाहनों से पानी लेने पर 0.5% की कटौती की जावेगी। 7. सफल निविदाकार की निविदा दर निविदा राशि के 90% से कम होने की स्थिति में अंतर की राशि की एफ.डी.आर. नियमानुसार परफारमेंस गारंटी के रूप में संविदा के पूर्व जमा करना होगा। 8. शासन के निर्देशानुसार श्रमिकों से संबंधित कार्य हेतु श्रमिकों का पी.एफ. कटौती किया जाना है तथा बैंको में खाता खोलकर सीधे उनके बैंक खाते में श्रमायुक्त द्वारा स्वीकृत दरों के अनुरूप प्रतिमाह राशि जमा किया जाना है। 09. शपथ पत्र। 10. प्रस्तुत दरतावेज असत्य पाये जाने पर पंजीयन निरस्त कर, काली सूची में दर्ज करने की कार्यवही की जावेगी। 11. यदि निगम द्वारा निर्धारित निविदा प्राप्ति की अंतिम तिथि/निविदा खोलने की तिथि को किसी अपरिहार्य कारणवश अवकाश घोषित होता है तो ऐसी स्थिति में अंतिम तिथि/खोलने की तिथि आगामी कार्य दिवस को माना जायेगा। 12. किसी भी विवाद स्थिति में आयुक्त, नगर पालिक निगम, भिलाई का निर्णय अंतिम एवं मान्य होगा। 13. ऐसे व्यक्तियों को जो किसी भी तरह के लिए पहले ठेके निश्चित समय और राशि के पूरा करने में असफल हुए हो, को ठेका नहीं दिया जायेगा। 14. सभी दरतावेज स्वयं प्रमाणित/नोटरी प्रमाणित होना अनिवार्य है। विस्तृत जानकारी कार्यालयीन समय एवं तिथि में कार्यालय नगर पालिक निगम, भिलाई जोन क्र.-02 वैशाली नगर तथा नगर पालिक निगमभिलाई की वेबसाईट www.bhilainagarnigam.com अथवा संचालनालय की वेबसाईट www.uad.cg.gov.in एवं चिप्स की वेबसाईट bhilai.urbanecg.gov.in से देखी जा सकती है।

जोय आयुक्त
 जोन क्रमांक-02
 नगर पालिक निगम